### Fresh POS presentations

New structured, for an optimal sale – available in every channel







# Fresh laundry


Whether rotary dryers, ironing tables or steam ironing systems – Leifheit ensures fresh, clean and well - kept laundry.

Leifheit stands for innovation and individuality in the field of laundry care. With a new structured assortement at the Point-Of-Sale Leifheit follows the customers searching habits and simplifies the decision to buy.



### Always a better idea

### Leifheit – rotary dryers for every demand




Price creation




### Outdoor drying for highest demands

### Linomatic with unique line retraction mechanism

Drying environment - friendly with sun and wind. Laundry drying with natural energy – a subject, which is more topical than ever because of the energy change.





### Linomatic 400/500/600 Deluxe

|                         |         |    | Turquo         | oise                         |                                 |          | Opal gre  | en                            |   |   | Opal g                            | green   |                      |
|-------------------------|---------|----|----------------|------------------------------|---------------------------------|----------|---|-------------------------------|---|---|-----------------------------------|---|----------------------|
|                         |         |    |                |                              |                                 |          | The proven line<br>retraction<br>mechanisms!<br>They vanish dirt protected<br>into the carrying arms. | Clean lines,<br>clean laundry | Easier<br>opening<br>With Easy-<br>Lift-System. | Easier closing<br>With Easy- Close-<br>Comfort – without<br>bending down. | Retraction of the tensioning line | Very easy opening<br>& closing<br>Through the handle<br>on the carryin arm. | He<br>ac<br>13<br>71 |
| Variations              | No.     | SU | Line<br>length | Washing<br>machine-<br>loads | Usable length<br>outermost line | Diagonal |   | X                             | 6   |   |                                   |   |                      |
| Linomatic<br>M 400      | 85245 8 | 1  | 40 m           | 4                            | 1,86 m                          | 3,03 m   | $\checkmark$  | $\checkmark$                  | $\checkmark$                                    | -   | -                                 | _   |                      |
| Linomatic<br>L 400      | 85215 1 | 1  | 40 m           | 4                            | 1,86 m                          | 3,03 m   | $\checkmark$  | $\checkmark$                  | $\checkmark$                                    | -   | _                                 | _   |                      |
| Linomatic<br>L 500      | 85233 5 | 1  | 50 m           | 5                            | 2,03 m                          | 3,28 m   | $\checkmark$  | $\checkmark$                  | $\checkmark$                                    | -   | -                                 | _   |                      |
| Linomatic<br>400 Deluxe | 82000 6 | 1  | 40 m           | 4                            | 1,86 m                          | 3,03 m   | $\checkmark$  | $\checkmark$                  | ✓ Deluxe  | $\checkmark$  | $\checkmark$                      | _   |                      |
| Linomatic<br>500 Deluxe | 82001 3 | 1  | 50 m           | 5                            | 2,03 m                          | 3,28 m   | $\checkmark$  | $\checkmark$                  | ✓ Deluxe  | $\checkmark$  | $\checkmark$                      | _   |                      |
| Linomatic<br>600 Deluxe | 82002 0 | 1  | 60 m           | 6                            | 2,20 m                          | 3,52 m   | $\checkmark$  | $\checkmark$                  | ✓ Deluxe  | $\checkmark$  | $\checkmark$                      | _   |                      |
| Linomatic<br>Plus 500   | 851109  | 1  | 50 m           | 5                            | 2,03 m                          | 3,28 m   | $\checkmark$  | $\checkmark$                  | _   | -   | -                                 | $\checkmark$  |                      |
| Linomatic<br>Plus 600   | 85120 8 | 1  | 60 m           | 6                            | 2,20 m                          | 3,52 m   | $\checkmark$  | $\checkmark$                  | -   | -   | -                                 | ~   |                      |

### Linomatic Plus 500/600

#### Dark green $\checkmark$ $\checkmark$ \_ $\checkmark$ \_ \_ $\checkmark$ \_ $\checkmark$ \_ \_ \_ $\checkmark$ $\checkmark$ $\checkmark$ \_ \_ $\checkmark$ $\checkmark$ \_ $\checkmark$ $\checkmark$ \_ \_ $\checkmark$ $\checkmark$ $\checkmark$ \_ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$ $\checkmark$

#### 33



## The best Linomatic of all times Made in Germany

INGENERY

Easyclip

No. 85650 0, SU 6

• For the refitting of all

for 8 coat hangers

• Offers wind-sheltered hanging

of 38 small items and space

Linomatic models



#### Linomatic 400/500/600 Deluxe

- No. 82000 6 400 Deluxe, SU 1 No. 82001 3 500 Deluxe, SU 1
- No. 82002 0 600 Deluxe, SU 1
- Line automatic system
- Easy Lift System
- Easy Close Comfort
- Automatic retraction of the tensioning line
- 8 coat hangers • Line length: 40 m/50 m/60 m
- Outermost line: 1,86 m/2,03 m/2,20 m
- Diagonal: 3,03 m/3,28 m/3,52 m
- Washing machine loads: 4/5/6
- 3 years guarantee



Line retraction mechanisms! Clean lines, clean laundry



Easy Lift System Opening with lowest effort


Easy Close Comfort Easy closing without bending down



#### Protective cover

- No. 85632 6, SU 10 • Protective cover for all rotary dryers
- Also suitable for sun parasols and skis

## Smart drying with sun and wind



#### LinoLift 600/LinoLift 600 QuickStart

- No. 85351 6 LinoLift 600, SU 4, No. 85352 3 LinoLift 600 QuickStart (ground plug inclusive), SU 2
- Height adjustable from: 100 175 cm
- Usable length outermost line: 1,88 m



#### Centring ground peg with screwing bar

- No. 85607 4, SU 6 • This way the rotary dryer is
- always standing straight, with lawn mowing edge • 5 years guarantee

#### Screw-in ground peg with screwing bar

- No. 85606 7, SU 6
- Sturdy with metal core
- No need to concrete
- 5 years guarantee

LEIFHEIT

34

• Protective cover inclusive • Line length: 60 m • Diagonal: 2,79 m • 2 years guarantee





#### Linotrend 500 Longline

#### No. 85500 8, SU 1

- XXL-outermost line: 2,45 m, for extremely long and wide laundry
- Sturdy and weatherproof
- With 3 holders for coat hangers
- Easy opening
- Protective cover inclusive
- Line length 46 m
- Usable length outermost line: 2,45 m
- Washing machine loads: up to 5
- 3 years guarantee



Replacement / second ground peg

No. 85600 5, SU 1



Intertek



# Pegasus wing-type dryer

### Comfortable allround talent for every demand

Pegasus, the particular sturdy, steady dryer with parallel supporting legs. Easy to pack away. With wing elements for the drying of long laundry items



 $\checkmark$ 

200

81520 0 20 m

200 Deluxe 81530 9 20 m

\_



150

815705 15 m


3 87x157x55 cm 105 cm

 $\checkmark$ 

\_

\_







### Pegasus 200 Deluxe

The allround packet ideal for the drying of delicates and shirts

| SU | Dimensions<br>(H x W x D) | Wing<br>height | 2 hol-<br>ders for<br>small<br>items | Laundry<br>pin bag | Waved clo-<br>thes hanger<br>bar, 5 wind-<br>proof coat<br>hangers | Soft<br>drying<br>mesh | GS<br>certified<br>Intertek |
|----|---------------------------|----------------|--------------------------------------|--------------------|--|------------------------|-----------------------------|
| 3  | 87x157x66 cm              | 105 cm         | $\checkmark$                         | $\checkmark$       | -  | -                      | $\checkmark$                |
| 3  | 87x167x66 cm              | 107 cm         | $\checkmark$                         | -                  | $\checkmark$   | -                      | $\checkmark$                |
| 3  | 87x167x66 cm              | 107 cm         | $\checkmark$                         | $\checkmark$       | $\checkmark$   | $\checkmark$           | $\checkmark$                |



# The innovation – faster drying result through variable drying bars



# Drying specialists – for terrace and garden



#### Laundry dryer AluStar

- No. 72705 3, SU 1
- Drying length: 32 m, the ideal dryer for large laundry items
- Drying height: 1,80 m
- For inside and outside use through rust-proof aluminum and plastic coated lines
- Washing machine loads: 3
- 2 years guarantee



#### Laundry dryerr Capri 80/100

- No. 72702 2 Capri 80, SU 5 No. 72700 8 Capri 100, SU 5
- Drying length: 8 m /10 m
- Fits in every bathtub
- Frame with child-proof lock
- Washing machine loads: 1
- 3 years guarantee

| Variations | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|------------|---------|------------------|---------------------------------|----|
| AluStar    | 72705 3 | 32 m             | 180 x 228 x 100                 | 1  |
| Star       | 72706 0 | 21 m             | 150 x 180 x 100                 | 1  |
| Capri 80   | 72702 2 | 8 m              | 90 x 82 x 52                    | 5  |

### Studies verify success potential:

"I can imagine the better air circulation yet. That is really faster."

### Wing-type dryer Varioline

No. 81591 0 Size M, SU 3

38

- No. 81592 7 Size L, SU 3
- Drying length: M=15 m, L=20 m
- Distance of the drying bars individually adjustable to laundry items
- Fast and comfortable hanging
- Better air circulation for faster laundry drying
- Available in two sizes; M, L
- Washing machine loads: M=1,5, L=2
- 3 years guarantee

LEIFHEIT

to laundry items

"It is great that there is no need to leave out bars, but

Source: Monheimer Institut, April 2012

to work immediately with enough distance."



#### Laundry dryer Star

- No. 72706 0, SU 1
- Drying length: 21 m, the ideal dryer for large
- laundry items
- Drying height: 1,50 m
- Washing machine loads: 2
- 2 years guarantee



#### Laundry dryer Siena 180 aluminium

- No. 81151 6, SU 6
- Drying length: 18 m
- Wing height: 112 cm
- Of high quality aluminum, therefore very light (2 kg) and rustproof
- Also suitable for long laundry items
- Washing machine loads: 2
- 2 years guarantee



#### Laundry dryer Roma 150 stainless steel

- No. 81156 1, SU 4
- Drying length: 15 m
- Of high quality stainless steel, rustproof
- Wings individually adjustable to the desired height up to 122 cm, also suitable for long laundry items
- Washing machine loads: 1-2
- 2 years guarantee

| Variations                  | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|-----------------------------|---------|------------------|---------------------------------|----|
| Capri 100                   | 72700 8 | 10 m             | 93 x 102 x 52                   | 5  |
| Siena 180<br>aluminium      | 81151 6 | 18 m             | 94 x 178 x 55                   | 6  |
| Roma 150<br>stainless steel | 81156 1 | 15 m             | 95 x 145 x 55                   | 4  |

### Drying a lot of laundry-even in narrow-space



- No. 81437 1, SU 3
- Drying length: 20 m • 2 holders for small items
- 5 wind-proof coat hangers
- Soft drying mesh
- Laundry pin bag
- Washing machine loads: 2
- 3 years guarantee




#### Tower 190

- No. 81435 7, SU 3
- Drying length: 19 m
- For a lot of laundry on extremely small area
- Foldable middle level for long laundry items
- Washing machine loads: 2
- 3 years guarantee

- No. 81450 0, SU 3 • Drying length: 30 m
- 2 holders for small items
- 90 cm drying bars for extra large laundry
- Mobile through 4 rolls
- Washing machine loads: 3
- 3 years guarantee

| Variations                                      | No.     | Drying length | SU | Accessory / Dimensions (H x W x D)   |
|---|---------|---------------|----|--|
| 190   | 81435 7 | 19 m          | 3  | 150 cm x 66 cm x 61 cm   |
| 200 Deluxe (like 190 with complete accessories) | 81437 1 | 20 m          | 3  | 2 holders for small items, 5 wind-proof clothes hangers, Soft drying cloth, laundry pin bag 150 cm x 66 cm x 61 cm |
| 300 Deluxe                                      | 81450 0 | 30 m          | 3  | 2 holders for small items, rolls 154 cm x 98 cm x 61 cm  |

### Smart drying in the bathroom



#### Bathtub laundry dryer Pegasus V Duo

- No. 81702 0, SU 4
- Drying length: 9,6 18,9 m
- Sturdy through triple lock
- Individually adjustable width
- Washing machine loads: 1-2
- 3 years guarantee



#### Baththub dryer Adria 110

No. 72708 4, SU 5

- Lockable in 10 positions
- 3 years guarantee

| Variations    | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU | Variations          | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|---------------|---------|------------------|---------------------------------|----|---------------------|---------|------------------|---------------------------------|----|
| Pegasus V Duo | 81702 0 | 9,6 - 18,9 m     | 68-124 cm (B)                   | 4  | Adria 110           | 72708 4 | 11 m             | 66 (W)                          | 5  |
| Pegasus V     | 81540 8 | 11 m             | 67 cm (B)                       | 4  | Pegasus 120 Compact | 81704 4 | 12 m             | 75x155x44cm                     | 3  |

Please notice also our wall-mounted dryer Telegant Plus on the following page!

40





#### Bathtub dryer Pegasus V

#### No. 81540 8, SU 4

- Drying length: 11 mLockable in 12 positions Also flat usable for the drying of sensitive articles
- Washing machine loads: 1
- 3 years guarantee



#### Pegasus 120 Compact

- No. 81704 4, SU 3
- Drying length: 12 m
- Wing height: 92 cm
- Washing machine loads: 1
- 3 years guarantee



## Space-saving dryers for wall and radiator






#### Universal laundry dryer Quartett Duo

#### No. 81413 5, SU 6

- Drying length: 4,20 m
- Aluminum bars
- Suitable from 1 11 cm depth
- 2 years guarantee



#### No. 81410 4, SU 6

- Drying length: 2 m
- Flexible use on
- radiators, doors and railings
- 2 years guarantee





#### Teleclip 60/100

#### No. 83303 7 Teleclip 60, SU 4

- No. 83304 4 Teleclip 100, SU 4
- Drying length: 4,20 /7,40 m
- Compact and robust
- Versatile installation, e.g. above a washing machine
- Recessed handles for opening without tangles
- 3 years guarantee





NEW





- No. 83201 6 Telegant Plus 70, SU 4
- No. 83100 2 Telegant Plus 100, SU 4
- Drying length: 3,60 / 8,10 m
- With towel rail of aluminum • For modern bathrooms
- Space-saving
- A lot of space for laundry3 years guarantee

| J | year | Э | yuai | aı | ILE |
|---|------|---|------|----|-----|
|   |      |   |      |    |     |

| Variations       | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|------------------|---------|------------------|---------------------------------|----|
| Quartett         | 81410 4 | 2,00 m           | 57 x 23                         | 6  |
| Quartett Duo     | 81413 5 | 4,20 m           | (55 x 105) x 23                 | 6  |
| Telegant Plus 70 | 83201 6 | 3,60 m           | 72 x 37                         | 4  |

#### Wall-mounted dryer Telegant 70/100

No. 83306 8 Telegant 70, SU 4

- No. 83305 1 Telegant 100, SU 4 Drying length: 3 / 7,20 m
- For outside use
- Sturdy & weather-proof
- Space-saving
- A lot of space for laundry
- 3 years guarantee

| Comfortable<br>All round talent | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|---------------------------------|---------|------------------|---------------------------------|----|
| Telegant Plus 100               | 83100 2 | 8,10 m           | 103 x 53                        | 4  |
| Telegant 70                     | 83306 8 | 3,00 m           | 72 x 37                         | 4  |
| Telegant 100                    | 83305 1 | 7,20 m           | 103 x 53                        | 4  |





#### Rollfix

- No. 83040 1, SU 6
- Drying length: up to 21 m
- Continuously extendable up to max. 4,20 m
  Space-saving dryer with much space for laundry
- Re-tensioning and retraction mechanism
- 3 years guarantee

| Variations   | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|--------------|---------|------------------|---------------------------------|----|
| Teleclip 60  | 83303 7 | 4,20 m           | 60 x 54                         | 4  |
| Teleclip 100 | 83304 4 | 7,40 m           | 102 x 53                        | 4  |
| Rollfix      | 83040 1 | up to 21 m       | 48 (W)                          | 6  |



#### Folded dryer MEC

#### No. 81060 1 Folded dryer MEC 60, SU 4

- No. 81061 8 Folded dryer MEC 80, SU 4
- Drying length: 2,75 /3,75 m
- Space-saving wall assembly
- 5 extendable drying bars
- 2 years guarantee






#### Rollquick

- No. 83006 7, SU 6
- Drying length: up to 21 m
- Continuously extendable up to max. 4,20 m
- Space-saving dryer with much space for laundry
- Re-tensioning and retraction mechanism
- 2 years guarantee

| Variations             | No.     | Drying<br>length | Dimensions in<br>cm (W x H x D) | SU |
|------------------------|---------|------------------|---------------------------------|----|
| Rollquick              | 83006 7 | up to 21 m       | 48 (VV)                         | 6  |
| Folded dryer<br>MEC 60 | 81060 8 | 2,75 m           | 60 x 38                         | 4  |
| Folded dryer<br>MEC 80 | 81061 1 | 3,75 m           | 80 x 38                         | 4  |



### Leifheit – The whole world of ironing





44



# Active ironing tables – well-kept laundry with maximum ironing comfort



#### AirActive L Express

46

#### No. 76078 4, SU 1

- Complete pressurized steam ironing system
- Ironing surface: 126 x 45 cm
- Integrated, at any time refillable pressurized steam station
- Steam pressure up to 4,2 bar
- 1 litre tank volume
- Air intake-, extraction and easy glide function
- Heating time: 2 min
- · Easy and compact to pack
- Integrated iron fixation
- Sturdy frame with adjustable feet
- Weight: 13,0 kg
- 2 years guarantee

| Variations                    | No.                | SU     | SuperGlide <sup>®</sup> -<br>ironing surface | Height<br>adjustable         | Steam power  | Features   |
|-------------------------------|--------------------|--------|--|------------------------------|--|--|
| AirActive                     |                    |        |  |                              |  |  |
| L Express                     | 76078 4            | 1      | 126 x 45 cm                                  | up to 100 cm                 | Steam volume:<br>> 70 g/Min.,<br>Steam pressu-<br>re: max. 4,2 bar | Integrated, at any time refillable water tank (1 liter);<br>steam volume regulation, active functions, ceramic<br>iron sole, de-scaling system, cable holder and stur-<br>dy frame with adjustable feet. |
| L Express NF<br>L Express SEV | 76093 7<br>76094 4 | 1<br>1 | 126 x 45 cm<br>126 x 45 cm                   | up to 100 cm<br>up to 100 cm |  | like 76078 but French electronic system<br>like 76078 but Swiss electronic system  |

<sup>\*</sup>Compared with a standard ironing table with iron

|  | lightest brand c   | omplete sy   | stem or   |  | er is the                    |                  |
|--|--|--|---|--|------------------------------|------------------|
|  | AirActive L St   | eamer  |   |  |                              |                  |
|  | Steamer No. 76<br>Complete pre<br>Ironing surface<br>Integrated pre<br>Steam pressu<br>Boiler with 1 li<br>Air intake-,ext<br>Heating time 8<br>Very easy and<br>Integrated iron<br>Sturdy frame 9<br>Weight: 12,01<br>2 years guara | ssurized st<br>e 126 x 45<br>essurized st<br>ire up to 3,4<br>iter tank vol<br>raction and<br>3 min<br>I compact t<br>n fixation<br>with adjusta | eam iroi<br>cm<br>eam sta<br>5 bar<br>lume<br>I easy g<br>to pack | ation<br>lide function                       |                              |                  |
|  |  |  | 12  | kg   |                              |                  |
|  | Variations   | No.  | SU  | SuperGlide <sup>®</sup> -<br>Ironing surface | Height-<br>adjustable        | S                |
|  | AirActive  |  |   |  |                              |                  |
|  | L Steamer  | 76076 0  | 1   | 126 x 45 cm                                  | up to 100 cm                 | 2<br>2<br>1<br>1 |
|  | L Steamer NF<br>L Steamer SEV  | 76089 0<br>76091 3   | 1<br>1  | 126 x 45 cm<br>126 x 45 cm                   | up to 100 cm<br>up to 100 cm | li<br>li         |
|  |  |  | 100 15  | 1 100  |                              |                  |

L (silver)

L (silver) NF

L (silver) SEV

M (white)

M (silver)\*

M (silver) NF

M (silver) SEV

760746

760876

76088 3

760807

76081 4

76082 1

76083 8

1

1

1

126 x 45 cm

126 x 45 cm

126 x 45 cm

118 x 38 cm

118 x 38 cm

118 x 38 cm

water tank, at any

230 V, 50 Hz

1.350 Watt

850 Watt

time refillable.

Technical data for integrated steam stations


also valid for AirActive L Steamer

Voltage

Power station

Power iron

LEIFHEIT



up to 100 cm like 76081 but Swiss electronic system



# Air ironing table assortement – ironing in its easiest way















| Variations         | No.     | SU | SuperGlide <sup>®</sup> -<br>Ironing surface | Height<br>adjustable | Features  |
|--------------------|---------|----|--|----------------------|---|
| AirBoard®          |         |    |  |                      |   |
| Comfort XL Plus    | 72508 0 | 1  | 140 x 38 cm                                  | up to 98 cm          | Movable tray, electrical outlet, cable holder, ergonomic frame*, shoulder fit |
| Comfort XL Plus NF | 72520 2 | 1  | 140 x 38 cm                                  | up to 98 cm          | like 72508 but French electronic system*                                      |
| Comfort M Plus     | 72510 3 | 1  | 120 x 38 cm                                  | up to 98 cm          | Fixed tray, electrical outlet, cable holder, ergonomic frame*                 |
| Comfort M Plus NF  | 72521 9 | 1  | 120 x 38 cm                                  | up to 98 cm          | like 72510 but French electronic system                                       |
| Comfort M          | 72509 7 | 1  | 120 x 38 cm                                  | up to 98 cm          | Fixed tray, ergonomic frame*  |

'Stand with automatic leveling on uneven surfaces




The first ironing table with SuperGlide<sup>®</sup> ironing surface for steam stations

#### AirSteam® L

#### No. 72542 4, SU 1

- Fixed steam station tray with cable holder
- SuperGlide<sup>®</sup> ironing surface 130 x 38 cm
- Height adjustable up to 98 cm
- Ergonomic frame for ironing while sitting
- Weight: 5,3 kg
- 5 years guarantee



| Variations    | No.     | SU | SuperGlide <sup>®</sup> -<br>Ironing surface | Height<br>adjustable | Features  |
|---------------|---------|----|--|----------------------|---|
| AirSteam®     |         |    |  |                      |   |
| L             | 72542 4 | 1  | 130 x 38 cm                                  | up to 98 cm          | Fixed steam station tray, cable holder, ergonomic frame |
| AirBoard®     |         |    |  |                      |   |
| Fusion XL     | 72515 8 | 1  | 140 x 38 cm                                  | up to 98 cm          | Movable tray, shoulder fit*                             |
| Fusion M Plus | 72522 6 | 1  | 120 x 38 cm                                  | up to 98 cm          | Fixed tray, electrical outlet, cable holder*            |
| Fusion M      | 72552 3 | 1  | 120 x 38 cm                                  | up to 98 cm          | Fixed tray*   |

Intertek 🗲

\*Stand with automatic leveling on uneven surfaces











## Starting smart with comfortable allround talents

Sturdy, steady ironing tables with conventional expanded metal ironing surface and many extras.



#### Mikado Tableboard

#### No. 72402 1, SU 1

50

- Ironing surface with shoulder fit: 73 x 30 cm
- Small and easy to pack
- (only 7 cm high) • Non-slip feet
- 2 years guarantee

#### Tina S

- No. 71021 5, SU 2
- Ironing table surface: 110 x 30 cm
- With fixed tray

### 

- The ironing table for beginners and persons who iron less
- 2 years guarantee
- Cable holder • With electrical outlet
  - 2 years guarantee

With fixed tray

Fashion S Plus

S Plus No. 71052 9, SU 2

• Ironing table surface: 110 x 30 cm

• The ironing table for small households and persons who have less to iron

**A** 

| Variations        | No.     | SU | Ironing<br>surface | Height<br>adjustable | Features   |
|-------------------|---------|----|--------------------|----------------------|--|
| Mikado Tableboard | 72402 1 | 1  | 73 x 30 cm         | -                    | Shoulder fit   |
| Tina              |         |    |                    |                      |  |
| S                 | 71021 5 | 2  | 110 x 30 cm        | up to 88 cm          | Fixed tray   |
| Fashion           |         |    |                    |                      |  |
| S Plus            | 71052 9 | 2  | 110 x 30 cm        | up to 88 cm          | Fixed tray, electrical outlet, cable holder                                    |
| S Plus NF         | 71054 3 | 2  | 110 x 30 cm        | up to 88 cm          | like 71052 but French electronic system  |
| S                 | 71035 2 | 2  | 110 x 30 cm        | up to 88 cm          | Fixed tray   |
| Classic           |         |    |                    |                      |  |
| M Express         | 72423 6 | 1  | 120 x 38 cm        | up to 95 cm          | Fixed steam station tray, cable holder   |
| M Complete Plus   | 72414 4 | 1  | 120 x 38 cm        | up to 95 cm          | Fixed tray, electrical outlet, cable holder, small ironing board, laundry tray |
| M Plus            | 72407 6 | 1  | 120 x 38 cm        | up to 95 cm          | Fixed tray, electrical outlet, cable holder                                    |
| M Plus NF         | 71555 5 | 1  | 120 x 38 cm        | up to 95 cm          | like 72407 but French electronic system  |
| Μ                 | 71554 8 | 1  | 120 x 38 cm        | up to 95 cm          | Fixed tray   |



#### Classic M Plus

- No. 72407 6, SU 1
- roning table surface: 120 x 38 cm
- For small and medium sized households • With fixed tray
- Cable holder
- With electrical outlet
- 2 years guarantee

### Contour L Express

- No. 72504 2, SU 1 • Ironing table surface: 130 x 45 cm
- The sturdy, steady ironing table with many equipment variations
- Fixed steam station tray
- Cable holder
- 3 years guarantee

| Variations  | No.     | SU | Ironing<br>surface | Height<br>adjustable | Features   |
|-------------|---------|----|--------------------|----------------------|--|
| Contour     |         |    |                    |                      |  |
| L Express   | 72504 2 | 1  | 130 x 45 cm        | up to 98 cm          | Fixed steam station tray, cable holder*                      |
| L Plus      | 72506 6 | 1  | 130 x 45 cm        | up to 98 cm          | Fixed tray, electrical outlet, cable holder*                 |
| M Express   | 72507 3 | 1  | 120 x 38 cm        | up to 98 cm          | Fixed steam station tray, cable holder*                      |
| M Plus      | 72503 5 | 1  | 120 x 38 cm        | up to 98 cm          | Fixed tray, electrical outlet, cable holder*                 |
| M Plus NF   | 72518 9 | 1  | 120 x 38 cm        | up to 98 cm          | like 72503 but French electronic system*                     |
| Μ           | 72502 8 | 1  | 120 x 38 cm        | up to 98 cm          | Fixed tray*  |
| Dressfix    |         |    |                    |                      |  |
| XXL Express | 72544 8 | 1  | 140 x 52 cm        | up to 95 cm          | Steam station tray to insert, cable holder                   |
| XL Plus     | 72501 1 | 1  | 140 x 40 cm        | up to 98 cm          | Movable tray, electrical outlet, cable holder, shoulder fit* |

'Stand with automatic leveling on uneven surfaces








#### Dressfix XL Plus

#### No. 72501 1, SU 1

- Ironing table surface: 140 x 40 cm
- The specialists for large laundry items and blouses / shirts
- Asymmetric tip for optimal ironing of small items
- With movable tray
- Cable holder
- With electrical outlet
- 3 years guarantee



## Ironing table covers for every demand



mixed

mixed

mixed

mixed

mixed

No. 72336 9 SU 6

#### Cotton Comfort


- High comfort through extra thick padding
- 4 mm Molliton padding
- Particularly steam
- permeable • Pull string and tension
- clip

52

#### TurboStar


#### With Turbo-Glide zone for very easy gliding

- 2 mm foam padding
- Particularly steam
- permeable Silicone particles provide
- electrostatic charge and increase gliding
- Pull string and tension clip




No. 72335 2 SU 6

# Ironing table covers for all Leifheit ironing tables
















53

### Smart accessories





#### Clothes rail Airette

No. 45110 1, SU 6 • Length: 31 cm, for 7 coat hangers, foldable after use



### Replacement clothes line

- 30 m No. 81708 2, SU 10
- 62 m No. 85610 4, SU 5
- Drying length: 30 / 62 m
- Plastic-coated and
- UV resistant



### Replacement blocks for Condensation reducer

No. 58200 3, SU 10 • 2 pieces = 1,2 kg



#### Accessories set Pegasus

No. 81535 4, SU 5

- 2 holders for small item
- 5 wind-proof coat hangers



#### Laundry pins

No. 85660 9, SU 10

- Set of 25 pieces
- Extra soft components, particularly gentle on laundry items



#### Laundry mesh set of 3

#### No. 81709 9, SU 10

- Protects sensitive laundry like underwear, silk and curtains
- 5, 3 and 1 kg

